

WEST Search History

DATE: Thursday, February 03, 2005

Hide?	Set Name	Query	Hit Count
	<i>DB=PGPB,USPT,USOC; PLUR=YES; OP=ADJ</i>		
<input type="checkbox"/>	L19	(L15 or L14 or L13) and (map\$ near3 behavior)	0
<input type="checkbox"/>	L18	(L15 or L14 or L13) and (mapping near3 behavior)	0
<input type="checkbox"/>	L17	(L15 or L14 or L13) and mapping	66
<input type="checkbox"/>	L16	(L15 or L14 or L13) and mapping	108451
<input type="checkbox"/>	L15	L4 and ((identifying or identify) near3 constraint)	51
<input type="checkbox"/>	L14	L4 and ((detecting or detect) near3 constraint)	5
<input type="checkbox"/>	L13	L4 and ((detect\$ or identif\$) near3 constraint)	90
<input type="checkbox"/>	L12	L11 and (L6 or L7 or L8)	35
<input type="checkbox"/>	L11	L5 and L2	260
	<i>DB=EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>		
<input type="checkbox"/>	L10	L5	6
<input type="checkbox"/>	L9	L6 or L7 or L8	0
	<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>		
<input type="checkbox"/>	L8	L5 and (structure near2 constraint)	63
<input type="checkbox"/>	L7	L5 and (structural near2 constraint)	33
<input type="checkbox"/>	L6	L5 and (structur\$ near2 constraint)	95
<input type="checkbox"/>	L5	L4 and behavior	3451
<input type="checkbox"/>	L4	L3 and ((data near flow) or (control near flow) or (structur\$ near control))	15339
<input type="checkbox"/>	L3	synthesi\$ or (hardware near description)	653367
	<i>DB=PGPB,USPT,USOC; PLUR=YES; OP=ADJ</i>		
<input type="checkbox"/>	L2	L1 or 716/5,10,18.ccls.	5075
<input type="checkbox"/>	L1	717/106-113,135-137,141-144,153-157.ccls.	2618

END OF SEARCH HISTORY

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced
- ☐ CrossRef

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

IEEE Enterprise

- ☐ Access the IEEE Enterprise File Cabinet

 Print Format

Your search matched **24** of **1123491** documents.

A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.

Refine This Search:

You may refine your search by editing the current search expression or entering new one in the text box.

☐ Check to search within this result set
Results Key:

JNL = Journal or Magazine **CNF** = Conference **STD** = Standard

1 Synthesis of fixed-structure controllers via numerical optimization

El Ghaoui, L.; Balakrishnan, V.;

Decision and Control, 1994., Proceedings of the 33rd IEEE Conference on , Vo 3 , 14-16 Dec. 1994

Pages:2678 - 2683 vol.3

[\[Abstract\]](#) [\[PDF Full-Text \(376 KB\)\]](#) IEEE CNF

2 On the design of reliable digital multivariable regulators under structural constraints

Schiavoni, N.; Locatelli, A.;

Decision and Control, 1991., Proceedings of the 30th IEEE Conference on , 11 Dec. 1991

Pages:2822 - 2823 vol.3

[\[Abstract\]](#) [\[PDF Full-Text \(140 KB\)\]](#) IEEE CNF

3 Face analysis and synthesis

Morishima, S.;

Signal Processing Magazine, IEEE , Volume: 18 , Issue: 3 , May 2001

Pages:26 - 34

[\[Abstract\]](#) [\[PDF Full-Text \(724 KB\)\]](#) IEEE JNL

4 Computationally efficient optimal control methods applied to power systems

Freitas, F.D.; Simoes Costa, A.;

Power Systems, IEEE Transactions on , Volume: 14 , Issue: 3 , Aug. 1999

Pages:1036 - 1045

[\[Abstract\]](#) [\[PDF Full-Text \(700 KB\)\]](#) IEEE JNL

5 An LMI optimization approach for structured linear controllers

Jeongheon Han; Skelton, R.E.;

Decision and Control, 2003. Proceedings. 42nd IEEE Conference on , Volume: 5 , 9-12 Dec. 2003

Pages:5143 - 5148 Vol.5

[\[Abstract\]](#) [\[PDF Full-Text \(472 KB\)\]](#) IEEE CNF

6 Face image analysis and synthesis for human-computer interaction

Morishima, S.;

Signal Processing Proceedings, 2000. WCCC-ICSP 2000. 5th International Conference on , Volume: 2 , 21-25 Aug. 2000

Pages:1213 - 1220 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(996 KB\)\]](#) IEEE CNF

7 Robust decentralized control using an alternating projection approach

Kan Tan; Grigoriadis, K.N.;

American Control Conference, 2000. Proceedings of the 2000 , Volume: 2 , 28 June 2000

Pages:801 - 805 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(368 KB\)\]](#) IEEE CNF

8 Realtime face analysis and synthesis using neural network

Morishima, S.;

Neural Networks for Signal Processing X, 2000. Proceedings of the 2000 IEEE Signal Processing Society Workshop , Volume: 1 , 11-13 Dec. 2000

Pages:13 - 22 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(668 KB\)\]](#) IEEE CNF

9 Decentralized H_∞ controller design for large-scale systems: a matrix inequality approach using a homotopy method

Ikeda, M.; Zhai, G.; Fujisaki, Y.;

Decision and Control, 1996., Proceedings of the 35th IEEE , Volume: 1 , 11-13 Dec. 1996

Pages:1 - 6 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(548 KB\)\]](#) IEEE CNF

10 Decentralized H_2 optimal control with pole regional constraints

Lei Zuo; Nayfeh, S.A.;

American Control Conference, 2003. Proceedings of the 2003 , Volume: 6 , 4-6 June 2003

Pages:5341 - 5346 vol.6

[\[Abstract\]](#) [\[PDF Full-Text \(442 KB\)\]](#) IEEE CNF

11 Decentralized overlapping control of a formation of unmanned aerial vehicles

Stipanovic, D.M.; Inalhan, G.; Teo, R.; Tomlin, C.J.;
Decision and Control, 2002, Proceedings of the 41st IEEE Conference on , Volu
3 , 10-13 Dec. 2002
Pages:2829 - 2835 vol.3

[\[Abstract\]](#) [\[PDF Full-Text \(473 KB\)\]](#) IEEE CNF

12 A MATLAB package for multiobjective control synthesis

Xin Qi; Khammash, M.H.; Salapaka, M.V.;
Decision and Control, 2001. Proceedings of the 40th IEEE Conference on , Volu
4 , 4-7 Dec. 2001
Pages:3991 - 3996 vol.4

[\[Abstract\]](#) [\[PDF Full-Text \(316 KB\)\]](#) IEEE CNF

13 Decentralized quadratic stabilization of large-scale systems

Guisheng Zhai; Yasuda, K.; Ikeda, M.;
Decision and Control, 1994., Proceedings of the 33rd IEEE Conference on , Vo
3 , 14-16 Dec. 1994
Pages:2337 - 2339 vol.3

[\[Abstract\]](#) [\[PDF Full-Text \(212 KB\)\]](#) IEEE CNF

14 On the synthesis of optimal stack filters under structural constraint

Lin Yin;
Circuits and Systems, 1994. ISCAS '94., 1994 IEEE International Symposium
on , Volume: 2 , 30 May-2 June 1994
Pages:321 - 324 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(316 KB\)\]](#) IEEE CNF

15 Design of robust static output feedback for large-scale systems

Zecevic, A.I.; Siljak, D.D.;
Automatic Control, IEEE Transactions on , Volume: 49 , Issue: 11 , Nov. 2004
Pages:2040 - 2044

[\[Abstract\]](#) [\[PDF Full-Text \(192 KB\)\]](#) IEEE JNL

[1](#) [2](#) [Next](#)

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) |
[New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online](#)
[Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved



US Patent & Trademark Office

[Subscribe](#) (Full Service) [Register](#) (Limited Service, Free) [Login](#)

Search: ☒ The ACM Digital Library ☐ The Guide



THE ACM DIGITAL LIBRARY



[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used structural constraint synthesis flow

Found 28 of 150,138

Sort results
by

Display
results



[Save results to a Binder](#)



[Search Tips](#)

☐ Open results in a new
window

Try an [Advanced Search](#)

Try this search in [The ACM Guide](#)

Results 1 - 20 of 28

Result page: 1 2 [next](#)

Relevance scale ☐ ☐ ☐ ☐ ☐

1 [Transformations for the synthesis and optimization of asynchronous distributed control](#)

Michael Theobald, Steven M. Nowick

June 2001 Proceedings of the 38th conference on Design automation

Full text available: [pdf\(166.38 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Asynchronous design has been the focus of renewed interest. However, a key bottleneck is the lack of high-quality CAD tools for the synthesis of large-scale systems which also allow design-space exploration. This paper proposes a new synthesis method to address this issue, based on transformations. The method starts with a scheduled and resource-bounded Control-Data Flow Graph (CDFG). Global transformations are first applied to the entire CDFG, unoptimized controllers are then e ...

2 [Analog synthesis & design methodology: Remembrance of circuits past: macromodeling by data mining in large analog design spaces](#)

Hongzhou Liu, Amit Singhee, Rob A. Rutenbar, L. Richard Carley

June 2002 Proceedings of the 39th conference on Design automation

Full text available: [pdf\(583.79 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The introduction of simulation-based analog synthesis tools creates a new challenge for analog modeling. These tools routinely visit 10³ to 10⁵ fully simulated circuit solution candidates. What might we do with all this circuit data? We show how to adapt recent ideas from large-scale data mining to build models that capture significant regions of this visited performance space, parameterized by variables manipulated by synthesis, trained by the data points visited during synthesis. Experimental ...

3 [An intermediate representation for behavioral synthesis](#)

Nikil D. Dutt, Tedd Hadley, Daniel D. Gajski

January 1991 Proceedings of the 27th ACM/IEEE conference on Design automation

Full text available: [pdf\(728.22 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)


This paper describes an intermediate representation for behavioral and structural designs that is based on annotated state tables. It facilitates user control of the synthesis process by allowing specification of partially design structures, and a mixture of behavior, structure and user specified bindings between the abstract behavior and the structure. The format's general model allows the capture of synchronous and asynchronous behavior, and permits

hierarchical descriptions with concurrence ...

4 Session 6D: Analog synthesis: The sizing rules method for analog integrated circuit design

H. Graeb, S. Zizala, J. Eckmueller, K. Antreich

November 2001 Proceedings of the 2001 IEEE/ACM international conference on Computer-aided design



Full text available:  [pdf\(221.02 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

This paper presents the *sizing rules method* for analog CMOS circuit design that consists of: first, the development of a hierarchical library of transistor pair groups as basic building blocks for analog CMOS circuits; second, the derivation of a hierarchical generic list of constraints that must be satisfied to guarantee the function of each block and its reliability with respect to physical effects; and third, the development of an automatic recognition of building blocks in a circuit s ...

5 M32: a constructive multilevel logic synthesis system

Victor N. Kravets, Kareem A. Sakallah

May 1998 Proceedings of the 35th annual conference on Design automation - Volume 00

Full text available:  [pdf\(534.08 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)
 [Publisher Site](#)


We describe a new constructive multilevel logic synthesis system that integrates the traditionally separate technology-independent and technology-dependent stages of modern synthesis tools. Dubbed M32, this system is capable of generating circuits incrementally based on both functional as well as structural considerations. This is achieved by maintaining a dynamic structural representation of the evolving implementation and by refining it through progressive introduction of gates fr ...

Keywords: congestion, global routing, quadratic placement, relaxed pins, routing models, supply-demand

6 Performance estimation of embedded software with instruction cache modeling

Yau-Tsun Steven Li, Sharad Malik, Andrew Wolfe

July 1999 ACM Transactions on Design Automation of Electronic Systems (TODAES), Volume 4 Issue 3


Full text available:  [pdf\(171.05 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

Embedded systems generally interact in some way with the outside world. This may involve measuring sensors and controlling actuators, communicating with other systems, or interacting with users. These functions impose real-time constraints on system design. Verification of these specifications requires computing an upper bound on the worst-case execution time (WCET) of a hardware/software system. Furthermore, it is critical to derive a tight upper bound on WCET in order to make efficient u ...

7 Session 10B: VLIW exploration and design synthesis: Exploring performance tradeoffs for clustered VLIW ASIPs

Margarida F. Jacome, Gustavo de Veciana, Viktor Lapinskii

November 2000 Proceedings of the 2000 IEEE/ACM international conference on Computer-aided design

Full text available:  [pdf\(146.77 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)


VLIW ASIPs provide an attractive solution for increasingly pervasive real-time multimedia

and signal processing embedded applications. In this paper we propose an algorithm to support trade-off exploration during the early phases of the design/specialization of VLIW ASIPs with clustered datapaths. For purposes of an early exploration step, we define a parameterized *family of clustered datapaths* $D(m,n)$, where m and n denote *interconnect capacity* and *cluster capacity* ...

8 Resynthesis of multi-level circuits under tight constraints using symbolic optimization

Victor N. Kravets, Kareem A. Sakallah

November 2002 Proceedings of the 2002 IEEE/ACM international conference on Computer-aided design

Full text available:  [pdf\(168.30 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

We apply recently introduced constructive multi-level synthesis in the resynthesis loop targeting convergence of industrial designs. The incremental ability of the resynthesis approach allows more predictable circuit implementations while allowing their aggressive optimization. The approach is based on a very general symbolic decomposition template for logic synthesis that uses information-theoretical properties of a function to infer its decomposition patterns (rather than more conventional mea ...

9 High-quality sub-function construction in functional decomposition based on information relationship measures

L. Józwiak, A. Chojnacki


March 2001 Proceedings of the conference on Design, automation and test in Europe

Full text available:  [pdf\(240.09 KB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

10 H/S Embedded Systems: Retargetable static timing analysis for embedded software

Kaiyu Chen, Sharad Malik, David I. August

September 2001 Proceedings of the 14th international symposium on Systems synthesis


Full text available:  [pdf\(293.24 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

This paper presents a novel approach for retargetable static software timing analysis. Specifically, we target the problem of determining bounds on the execution time of a program on modern processors, *and solve this problem in a retargetable software development environment*. Another contribution of this paper is the modeling of important features in contemporary architectures, such as branch prediction, predication, and instruction pre-fetching, which have great impact on system performance ...

11 Knowledge based control in micro-architecture design

F. D. Brewer, D. D. Gajski

October 1987 Proceedings of the 24th ACM/IEEE conference on Design automation

Full text available:  [pdf\(869.72 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

This paper describes the principles and implementation of design-process control in a micro-architecture compiler. The knowledge-base relies on both local and global evaluations to determine strategies to achieve global goals and then implements those strategies by manipulating hardware allocations and search heuristics. A system overview and annotated sample run are presented.

12 Performance estimation of embedded software with instruction cache modeling

Yau-Tsun Steven Li, Sharad Malik, Andrew Wolfe

December 1995 **Proceedings of the 1995 IEEE/ACM international conference on Computer-aided design**

Full text available:  [pdf\(145.46 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

 [Publisher Site](#)

Embedded systems generally interact with the outside world. Thus, some real-time constraints may be imposed on the system design. Verification of these constraints requires computing a tight upper bound on the worst case execution time (WCET) of a hardware/software system. The problem of bounding WCET is particularly difficult on modern processors, which use cache-based memory systems that vary memory access time significantly. This must be accurately modeled in order to tightly bound WCET. Exis ...

13 Performance analysis of embedded software using implicit path enumeration

Yau-Tsun Steven Li, Sharad Malik

November 1995 **ACM SIGPLAN Notices , Proceedings of the ACM SIGPLAN 1995 workshop on Languages, compilers, & tools for real-time systems**, Volume 30 Issue 11

Full text available:  [pdf\(987.85 KB\)](#)


Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Embedded computer systems are characterized by the presence of a processor running application specific dedicated software. A large number of these systems must satisfy real-time constraints. This paper examines the problem of determining the extreme (best and worst) case bounds on the running time of a given program on a given processor. This has several applications in the design of embedded systems with real-time constraints. An important aspect of this problem is determining which paths in t ...

14 Session 3: The synthesis of digital machines with provable epistemic properties

Stanley J. Rosenschein, Leslie Pack Kaelbling

March 1986 **Proceedings of the 1986 conference on Theoretical aspects of reasoning about knowledge**

Full text available:  [pdf\(1.18 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#)

Researchers using epistemic logic as a formal framework for studying knowledge properties of AI systems often interpret the knowledge formula $\langle i \rangle K(x, \varphi)$ to mean that machine $\langle i \rangle x$ encodes φ in its state as a syntactic formula or can derive it inferentially. By defining $\langle i \rangle K(x, \varphi)$, instead, in terms of the correlation between the state of the machine and that of its environment, the formal properties of modal system S5 can be satisfied without hav ...

15 Performance analysis of embedded software using implicit path enumeration

Yau-Tsun Steven Li, Sharad Malik

January 1995 **Proceedings of the 32nd ACM/IEEE conference on Design automation**

Full text available:  [pdf\(89.03 KB\)](#)

Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

16 Floating constraints in lexical choice

Michael Elhadad, Jacques Robin, Kathleen McKeown

June 1997 **Computational Linguistics**, Volume 23 Issue 2

Full text available:  [pdf\(3.13 MB\)](#) 

[Publisher Site](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)

Lexical choice is a computationally complex task, requiring a generation system to consider a potentially large number of mappings between concepts and words. Constraints that aid in determining which word is best come from a wide variety of sources, including syntax,

semantics, pragmatics, the lexicon, and the underlying domain. Furthermore, in some situations, different constraints come into play early on, while in others, they apply much later. This makes it difficult to determine a systemati ...

17 The generalized boundary curve — a common method for automatic nominal design centering of analog circuits

R. Schwencker, F. Schenkel, H. Graeb, K. Antreich

January 2000 Proceedings of the conference on Design, automation and test in Europe

Full text available:  [pdf\(109.51 KB\)](#)



[Publisher Site](#)

Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

18 Technical papers: requirements engineering: Detection of conflicting functional requirements in a use case-driven approach: a static analysis technique based on graph transformation

Jan Hendrik Hausmann, Reiko Heckel, Gabi Taentzer

May 2002 Proceedings of the 24th International Conference on Software Engineering

Full text available:  [pdf\(1.55 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

In object-oriented software development, requirements of different stakeholders are often manifested in use case models which complement the static domain model by dynamic and functional requirements. In the course of development, these requirements are analyzed and integrated to produce a consistent overall requirements specification. Iterations of the model may be triggered by conflicts between requirements of different parties. However, due to the diversity, incompleteness, and informal nature ...

Keywords: UML, graph transformation, requirements specification, unified process, use cases

19 Knowledge-based design of LANs using system entity structure concepts

Jerzy W. Rozenblit, Süleyman Sevinc, Bernard P. Zeigler

December 1986 Proceedings of the 18th conference on Winter simulation

Full text available:  [pdf\(696.70 KB\)](#)


Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The paper illustrates an application of knowledge based system design concepts to design of local area networks. A system entity structure representation of a local area network (LAN) is developed. This representation unifies a variety of possibilities for LAN design architecture. In a design session, the LAN design domain is subsequently restricted by pruning the entity structure with respect to network design objectives. A LAN model is then synthesized using a production rule scheme. The ...

20 Design process management for CAD frameworks

M. F. Jacome, S. W. Director

July 1992 Proceedings of the 29th ACM/IEEE conference on Design automation

Full text available:  [pdf\(816.20 KB\)](#)

Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

Searching for **structural constraint and flow**.

Restrict to: [Header](#) [Title](#) Order by: [Expected citations](#) [Hubs](#) [Usage](#) [Date](#) Try: [Google \(CiteSeer\)](#)

[Google \(Web\)](#) [Yahoo!](#) [MSN](#) [CSB](#) [DBLP](#)

5 documents found. Order: number of citations.

[A Framework For Enforceable Specification Of Extended.. - Georgakopoulos, Hornick \(1994\) \(Correct\)](#)
(15 citations)

must satisfy [5] For example, a **structural constraint** on nested transactions is that a parent of task invocation, task synchronization, and data-flow. ETMs are needed to ensure the correctness of such
<ftp.gte.com/pub/dom/workflow/IJICIS.ps>

One or more of the query terms is very common - only partial results have been returned. Try [Google \(CiteSeer\)](#).

[Bayesian Graphical Models - Jensen \(2000\) \(Correct\) \(1 citation\)](#)

both directed and undirected edges. The **structural constraint** is that no cycle may contain a directed Abstractions and Land use have an impact on River flow. The essential property concerning the structural of domestic consumption Industrial output River flow Rainfall Land use Industrial abstractions
www.cs.auc.dk/research/DSS/papers/jensen00a.ps

[Genesys: An Integrated Environment for Developing.. - Tokunaga Takenobu Inui \(Correct\)](#)

A realization statement is a syntactic (**structural**) **constraint** upon the corresponding language grammar problems editing grammar Figure 1: The **flow** of the grammar development AGENCY middle
cl.aist-nara.ac.jp/lab/events/SNLR/papers/12.ps.gz

[KUMANO, Tadashi TOKUNAGA, Takenobu INUI, Kentaro TANAKA, Hozumi - Tr- October \(Correct\)](#)

A realization statement is a syntactic (**structural**) **constraint** upon the corresponding language grammar problems editing grammar Figure 1: The **flow** of the grammar development tion of the
<ftp.cs.titech.ac.jp/pub/TR/94/TR94-0028.ps.gz>

[Sparc-V9 Architecture Specification With Rapide - Santoro, Park, Luckham \(1995\) \(Correct\)](#)

:47 4.3.3 Example 3: **Structural Constraint** :48

components. 4.3.3 Example 3: **Structural Constraint** **Structural constraints** are a little bit harder to such as if and case statements to help describe the **flow** of information. One could also describe the model
<ftp.informatik.uni-stuttgart.de/pub/ps/rapide.info/Rapide-1.0.papers/sparc.ps.gz>

Try your query at: [Google \(CiteSeer\)](#) [Google \(Web\)](#) [Yahoo!](#) [MSN](#) [CSB](#) [DBLP](#)

CiteSeer.IST - Copyright [Penn State](#) and [NEC](#)



Web Images Groups News Froogle Local^{New!} more »

"structural constraint" "control flow"

Search

Advanced Search
Preferences

Web

Results 1 - 10 of about 77 for "**structural constraint**" "**control flow**" . (0.21 seconds)

Excalibur - Publications

... see above). Planning to Plan - Integrating **Control Flow**. In ... planning process.

Formal Concepts. **Structural Constraint** Satisfaction. In ...

www.ai-center.com/projects/excalibur/publications.html - 10k - [Cached](#) - [Similar pages](#)

AI Center - Alexander Nareyek - Publications

... Alexander Nareyek. 2002. Planning to Plan - Integrating **Control Flow**. ... Alexander Nareyek.

1999. Applying Local Search to **Structural Constraint** Satisfaction. ...

www.ai-center.com/home/alex/publications.html - 14k - [Cached](#) - [Similar pages](#)

[[More results from www.ai-center.com](#)]

[PDF] An End to End Domain Driven Development Framework

File Format: PDF/Adobe Acrobat

... language, (2) Graph transformation language, and (3) **Control flow** language, which

we ... concerns are the specification of static **structural constraint** in graphs ...

www.isis.vanderbilt.edu/publications/archive/Agrawal_A_10_0_2003_An_End_to_.pdf - [Similar pages](#)

JVM '02 paper

... of this method is that it is insensitive to **control flow** into the ... will deduce the

sEc-opcode bytecode sequence under the **structural constraint** like control and ...

www.usenix.org/publications/library/proceedings/javavm02/full_papers/venugopal/venugopal_html/ - 101k -

[Cached](#) - [Similar pages](#)

[PDF] Embedded Hardware and Software Self-Testing Methodologies for ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... Since the instructions satisfy the complex **control flow** of the processor ... future,

we will investigate on enhancing such **structural constraint** extraction methods ...

esdat.ucsd.edu/~lichen/esdat/paper/dac00.pdf - [Similar pages](#)

TU-0962 : Spécifications graphiques multi-vues : formalisation et ... - [[Translate this page](#)]

... to decide whether a diagram satisfies a given **structural constraint** expressed in

this ... several aspects of the systems: the data flow, **control flow**, network, data ...

www.inria.fr/rrrt/tu-0962.html - 8k - [Cached](#) - [Similar pages](#)

X [PDF] Performance Analysis of Embeded Software Using Implicit Path ...

File Format: PDF/Adobe Acrobat

... The structural constraints are extracted automatically from the program's **control flow** graph (CFG) [6]. This is illustrated in Fig. ...

portal.acm.org/ft_gateway.cfm?id=217570&type=pdf - [Similar pages](#)

[PDF] The Program Understanding Problem: Analysis and a Heuristic ...

File Format: PDF/Adobe Acrobat

... This representation includes data-flow and **control-flow** between functional blocks. ...

component in the plan library, such that no **structural constraint** from the ...


portal.acm.org/ft_gateway.cfm?id=227731&type=pdf - [Similar pages](#)

[[More results from portal.acm.org](#)]

[PDF] Performance Analysis Of Embedded Software Using Implicit Path ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... the **control flow** going into it and the sum of the **control flow** going out ... C. Solving the Constraints The program **structural constraint** set is a set of program ...
www.cs.ucr.edu/~harry/classes_files/CS269_02/papers/Li_TCAD_97.pdf - [Similar pages](#)

 [A Logical Framework for Scheduling Workflows Under Resource ...](#)
File Format: PDF/Adobe Acrobat - [View as HTML](#)
Page 1. A Logical Framework for Scheduling Workflows Under Resource Allocation Constraints □ Pinar Senkul Middle East Technical ...
www.vldb.org/conf/2002/S20P01.pdf - [Similar pages](#)

Go o o o o o o o o o o g l e ►

Result Page: 1 2 3 4 5 6 7 8 [Next](#)

 [Free! Google Desktop Search: Search your own computer.](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google

[Web](#)
[Images](#)
[Video](#)
[NEW!](#)
[Directory](#)
[Local](#)
[News](#)
[Products](#)

YAHOO! SEARCH

[Shortcuts](#)
[Advanced Search](#)
[Preferences](#)

Search Results
 Results **1 - 10** of about **19** for **structural constraint control flow** - 0.36 sec. ([About this search](#))

[Alexander nareyek - ResearchIndex document query](#)

Order: number of citations. **Structural Constraint Satisfaction** - Nareyek (1999) (Correct) (8 citations) ... [Planniteseer.ist.psu.edu/cs?q=Alexander+Nareyek](#) - 17k - [Cached](#) - [More from this site](#)

[http://www.omg.org/docs/ad/02-12-03.txt](#)

art 2 Introduction to business rules These papers introduce some general principles and frameworks for thinking business ... Structural model constraints- invariants A **structural constraint** is a precondition that applies ... [www.omg.org/docs/ad/02-12-03.txt](#) - 64k - [Cached](#) - [More from this site](#)

[I Magazine Word List](#)

control dump (n, adj) **control flow** (n); **control-flow** (adj) ... [www.aaai.org/Magazine/Editorial/word-list.html](#) - 163k - [Cached](#) - [More from this site](#)

[xcalibur - Publications](#)

Planning to Plan - Integrating **Control Flow**. In Proceedings of the International ... document introduces the con [www.ai-center.com/projects/excalibur/publications.html](#) - 10k - [Cached](#) - [More from this site](#)

[ustlce class file verifier documentation: Index](#)

CEL's class file verifier "Justice" A. C. ClassConstraintException - exception de.fub.bytecode.verifier.exc.ClassC presented by this ControlFlowGraph (NOT ... of a violation of a **structural constraint** as described in the Java ... [cel.sourceforge.net/justice/docs/index-all.html](#) - 208k - [Cached](#) - [More from this site](#)

[IFE AFTER DEATH? a short story](#)

FE AFTER DEATH? a short story. This email (6 pages printed out) is an entertainment with some serious purpos business rules.. An ... of the case study, a **structural constraint** is that a Child must ... [www.omg.org/archives/adtf/msg01039.html](#) - 21k - [Cached](#) - [More from this site](#)

[http://www.cacs.louisiana.edu/~arun/papers/Tuck.html](#)

Structural constraint: While not required from the definition, our tucking algorithm ensures that every statemer [www.cacs.louisiana.edu/~arun/papers/Tuck.html](#) - 59k - [Cached](#) - [More from this site](#)

[eed-Directory.com :: C++ Potential](#)

I use the phrase "lazy **structural constraint**" with much liberty ... Exceptions allow a program to choose contro [www.feed-directory.com/f/4241](#) - 111k - [Cached](#) - [More from this site](#)

[C++ Potential](#)

I use the phrase "lazy **structural constraint**" with much liberty ... Exceptions allow a program to choose contro SS: [View as XML](#) - [Add to My Yahoo!](#) [ogs.msdn.com/branbray](#) - [More from this site](#)

[http://www.irisa.fr/lande/mperin/publications/perin-2000-these.resume.txt](#)

ans cette thèse, nous formalisons les notions de vues et de cohérence de vues. L'objectif est d'automatiser la vé communication network, etc). The ability ... whether a diagram satisfies a given **structural constraint** expressed in [www.irisa.fr/lande/mperin/publications/perin-2000-these.resume.txt](#) - 4k - [Cached](#) - [More from this site](#)

Results Page:

[1](#)
[2](#)
[Next](#)